CURRENT STATUS AND TRENDS OF HUMANOID ROBOTS IN INDUSTRY AND SOCIETY: A COMPARATIVE ANALYSIS

Lecturer & SR II **Iulian - Sorin MUNTEANU**[1], Teacher **Ana - Maria MUNTEANU**[2]

[1] Faculty of Industrial Engineering and Robotics – TMR Department, Bucharest, Romania,
[2]"Nikola Tesla" Technological High School, Bucharest, Romania

REZUMAT. Această lucrare prezintă o analiză comparativă a platformelor robotice umanoide reprezentative utilizate în aplicații industriale, logistice, de cercetare și sociale. Caracteristicile tehnologice, capacitățile operaționale, avantajele și limitele acestora sunt evaluate în contextul Industriei 4.0/5.0. Studiul evidențiază tendințele actuale de dezvoltare și demonstrează rolul crescut al roboților umanoizi în automatizarea inteligentă. Se așteaptă ca progresele continue în domeniul inteligenței artificiale, al tehnologiilor de detectare și al sistemelor mecatronice să accelereze și mai mult implementarea lor industrială și adoptarea lor pe scară largă.

Cuvinte cheie: roboți umanoizi, automatizare industrială, analiză comparativă, inteligență artificială, industrie 4.0/5.0.

ABSTRACT. This paper presents a comparative analysis of representative humanoid robotic platforms utilized across industrial, logistical, research, and social applications. Their technological characteristics, operational capabilities, advantages, and limitations are critically evaluated within the framework of Industry 4.0 and Industry 5.0. The study highlights current development trends and demonstrates the expanding role of humanoid robots in intelligent automation. Continuous advancements in artificial intelligence, multimodal sensing technologies, and advanced mechatronic systems are expected to further accelerate their industrial deployment and widespread practical adoption.

Keywords: humanoid robots, industrial automation, comparative analysis, artificial intelligence, industry 4.0/5.0.

1. INTRODUCTION

The accelerated evolution of robotics and artificial intelligence over the past two decades has driven the emergence of humanoid robots capable of executing complex tasks within both industrial and social environments. Humanoid robots are robotic systems engineered to partially or fully replicate the anatomical and functional characteristics of the human body, aiming to interact seamlessly with environments originally designed for humans [1, 2].

Interest in these systems has increased significantly due to breakthroughs in fields such as computer vision, machine learning, motion control, advanced sensing, and high-performance computing [8, 12]. Currently, industry leaders such as Tesla, Boston Dynamics, Figure AI, and SoftBank Robotics are making substantial investments in humanoid platforms tailored for industrial automation and social human-robot interaction.

The objective of this study is to conduct a comprehensive comparative analysis of current humanoid robot applications—focusing primarily on the 2016–2026 timeframe—with an emphasis on industrial utilization. The paper highlights technological advantages, current limitations, and future development prospects within the paradigm of Industry 4.0/5.0, intelligent automation, and the implementation of high-performance artificial intelligence.

Unlike previous studies that focused primarily on individual humanoid platforms, this work comparatively analyzes the most representative humanoid robotic systems currently available, emphasizing their technological maturity, industrial applicability, operational advantages, and future development trends within smart manufacturing environments.

2. CURRENT STATUS OF HUMANOID ROBOTICS

The initial concepts of humanoid robots emerged in the 1970s; however, practical development only became feasible with the advancement of high-

performance microprocessors and sophisticated artificial intelligence algorithms [2]. One of the most renowned early humanoids was ASIMO, developed by Honda, which pioneered autonomous walking, stair climbing, and verbal interaction with humans [3]. Subsequently, the evolution of humanoid robotics shifted significantly toward industrial and logistics applications.

Today, the Atlas robot is recognized as one of the most advanced mobile bipedal systems, capable of executing complex dynamic maneuvers, including acrobatic jumps, object manipulation, and traversal of challenging terrains [4]. Recent breakthroughs in large language models (LLMs), multimodal perception, and reinforcement learning have substantially accelerated the practical deployment of humanoid robots from research laboratories into dynamic industrial environments [10–12].

Tesla has successfully developed the Tesla Optimus robot, engineered for repetitive tasks within manufacturing plants and logistics centers. Optimus leverages artificial intelligence vision systems and neural networks analogous to those implemented in Tesla's autonomous vehicles [5]. Another notable platform is Figure 01, developed by Figure AI for industrial automation, automated manipulation in warehouses, and assembly lines [6]. Within the social and educational sectors, the Pepper robot has been widely deployed for customer interaction, informational assistance, and educational programs [7].

The current state of humanoid robotics can be systematically structured according to key performance parameters (such as height, weight, primary application domain, and individual design features), as synthesized in Table 1. It is important to note that development and implementation trends are exceptionally dynamic, continuously driving the emergence of new startups and enterprises striving to introduce competitive high-performance models to the global market.

Table 1. **Characteristics of contemporary mainstream humanoid robots.**

Robot	Developing Company	Height [m]	Weight [kg]	Primary Application Domain	Individualized Characteristics
Atlas [4]	Boston Dynamics	1.50	89 (hydraulic version)	Research and intervention	Advanced mobility, dynamic balance
Tesla Optimus [5]	Tesla	1.73	57	Industry and logistics	Integrated AI, object manipulation
Figure 01 [6]	Figure AI	1.68	60	Industrial automation	Autonomous interaction, computer vision
Pepper [7]	SoftBank Robotics	1.20	28	Social assistance	Voice and facial recognition
ASIMO [3]	Honda	1.30	48 (project officially retired ~2018–2022)	Research and education	Autonomous bipedal locomotion

3. ARCHITECTURE AND TECHNOLOGIES INTEGRATED IN HUMANOID ROBOTS

Modern humanoid robots integrate multiple hardware and software subsystems that enable environmental perception, data processing, and high-precision physical execution, which has improved exponentially in recent years [1, 2]. The primary mechatronic components commonly integrated into these systems include:

- LiDAR sensors and high-resolution video cameras;
- Electric actuators and precision servomotors;
- Real-time embedded control systems;
- AI processors dedicated to machine learning;
- Advanced localization and navigation algorithms;
- Speech recognition and natural language processing engines.

Table 2 highlights the core technologies integrated into modern humanoid robots and their respective roles in governing autonomous system behavior.

Artificial Intelligence and Machine Learning algorithms enable real-time data analysis and decision-making, while Computer Vision and LiDAR sensors drive autonomous navigation, object identification, and collision avoidance.

Furthermore, advanced speech processing technologies facilitate natural human-robot interaction, primarily utilized in social and collaborative frameworks.

The synergistic integration of these technologies empowers robotic platforms to successfully execute complex tasks across industrial and social ecosystems.

Table 2. **Core technologies integrated into modern humanoid robots**

Technology	Primary Role	Application Domain
Artificial Intelligence	Decision-making and learning	Industrial automation
Computer Vision	Object recognition and navigation	Logistics and manufacturing
LiDAR	Mapping and obstacle avoidance	Autonomous navigation
Machine Learning	Environmental adaptation	Collaborative robotics
Speech Processing	Human-robot interaction	Social assistance
Digital Twin	Virtual commissioning and predictive maintenance	Industrial production

4. INDUSTRIAL APPLICATIONS OF HUMANOID ROBOTS

The deployment of humanoid robots in industrial settings represents a major cornerstone of modern automation evolution. Unlike conventional industrial robotic arms, humanoid robots are capable of operating within workspaces originally engineered for human operators without requiring extensive infrastructural modifications.

4.1. Production Line Automation

Within the automotive and manufacturing sectors, humanoid robots are increasingly deployed for:

- Component handling and sorting;
- Automated assembly operations;
- Visual quality control inspections;
- Internal material transport.

Tesla Optimus is specifically designed for repetitive material-handling tasks, such as box handling, feeding production lines, and transporting components between workstations [5].

4.2. Logistics and Warehousing

In logistics operations, humanoid robots contribute significantly to workflows including:

- Product sorting and order fulfillment;
- Package handling;
- Cargo loading and unloading;
- Automated inventory management.

While companies like Amazon already deploy advanced mobile robots in logistical hubs, the integration of humanoid systems represents the logical next frontier in warehouse automation [8].

4.3. Hazardous and High-Risk Environments

Humanoid robots are uniquely suited for hazardous operations where human exposure carries high risks, such as:

- Disaster response and emergency interventions;
- Radioactive environments, including nuclear waste management;
- Extreme temperature operations;
- Defense applications (e.g., mine detection, logistical support in hostile terrain);
- Maritime, mountainous, forest, and underground search-and-rescue missions.

Boston Dynamics' Atlas demonstrates exceptional mobility in unstructured and rugged terrains [4, 9], far surpassing conventional wheeled or tracked robotic configurations.

Table 3. **Advantages of deploying humanoid robots in industrial settings**

Priority Domain	Primary Advantages
Industrial Production	Productivity growth and error reduction
Logistics	Automation of goods handling and warehousing
Operational Safety	Mitigation of ergonomic risks for human operators
Quality Control	High precision and repeatability with minimal defect risk
Hazardous Activities	Elimination of human exposure to severe risk factors

Table 3 summarizes the primary competitive advantages sought within the modern global economy, where maximizing labor productivity, minimizing intermediate cycle times, and ensuring zero-defect quality control are paramount.

5. COMPARATIVE ANALYSIS

Contemporary humanoid robots differ significantly in mobility, autonomy, artificial intelligence capabilities, and operational scope. Certain platforms are optimized exclusively for industrial automation and logistics, whereas others are

engineered for social interaction or scientific research (cf. Table 4).

For instance, Atlas is acknowledged as one of the most dynamically agile humanoid platforms due to its superior balance and whole-body mobility [4]. Capable of navigating complex obstacles and rough terrain, Atlas is primarily deployed for advanced research and emergency interventions.

Conversely, Tesla Optimus targets industrial and logistical automation [5], with its primary value proposition lying in deep AI integration and factory-floor adaptability.

The comparative synthesis in Table 4 demonstrates that no single humanoid platform currently satisfies all industrial requirements simultaneously. Instead, developers optimize their platforms for specific niches, carefully balancing mobility, payload capacity, energy autonomy, and AI processing power.

Figure 01 is designed specifically for human-robot collaboration in warehouses and assembly lines [6, 11], leveraging advanced computer vision and AI models for autonomous object manipulation.

Table 4. **Comparative analysis of representative robotic systems**

Humanoid Robot	Developer	Primary Domain	Advantages	Disadvantages
Atlas	Boston Dynamics	Research & Intervention	Advanced mobility	High capital cost
Tesla Optimus	Tesla	Industry & Logistics	High-performance AI integration	Currently in active development (Iteration v3)
Figure 01	Figure AI	Industrial Automation	Precise manipulation	Limited operational autonomy
Pepper	SoftBank Robotics	Social Interaction	Effective communication	Low physical payload capacity
ASIMO	Honda	Research & Education	Stability and autonomy	Insufficient industrial payload capacity (circa 2020–2025)

Pepper focuses on social interaction within commercial malls, healthcare facilities, and educational institutions [7], utilizing emotional recognition and verbal communication modules.

Meanwhile, ASIMO remains a monumental milestone in humanoid robotics history [3]; although its industrial capabilities are limited compared to modern platforms, it laid foundational principles for bipedal locomotion and dynamic stabilization.

The comparative evaluation indicates that industrial humanoids (such as Tesla Optimus and Figure 01) prioritize operational efficiency and productivity, whereas social robots (such as Pepper) prioritize human-centric communication [9–12].

In terms of dynamic performance and locomotion agility, Atlas remains an industry benchmark.

6. ECONOMIC AND SOCIAL IMPACT

The integration of humanoid robots into industrial ecosystems yields profound economic and operational benefits, accelerating the transformation of manufacturing and logistics through highly precise, continuous automated execution [8, 10]. Documented economic advantages include:

- Enhanced operational productivity;
- Reduced operating costs;
- Improved workplace safety and ergonomics;
- Minimization of human error;
- Optimization of manufacturing cycle times;
- Continuous 24/7 operation of automated lines.

In industrial settings, humanoid robots perform physically demanding tasks without fatigue, driving efficiency and reducing workplace accidents.

Furthermore, autonomous systems elevate quality control standards and manufacturing flexibility.

However, widespread deployment presents significant challenges:

- High initial capital acquisition and maintenance costs;
- Requirement for robust underlying technological infrastructure;
- Workforce reskilling and educational restructuring;
- Ethical dilemmas surrounding workforce displacement;
- Cybersecurity vulnerabilities and data protection risks.

The broader social impact involves structural shifts in labor markets and professional skill requirements. Concurrently, this technological transition generates new employment opportunities in robotics

programming, AI maintenance, autonomous system engineering, and industrial data analytics.

According to market reports by the International Federation of Robotics (IFR) and McKinsey & Company, the humanoid robotics market is projected to experience exponential growth over the coming decade, propelled by generative AI advancements, intelligent automation, and surging industrial demand for autonomous assets [8, 14]. Consequently, humanoids are regarded as a vital component of Industry 4.0 and Industry 5.0 digital transformation strategies.

An additional catalyst accelerating humanoid adoption is the deepening shortage of skilled labor in manufacturing sectors [10, 12].

Humanoids increasingly serve as complementary assets capable of assisting human workers in repetitive, hazardous, and physically exhaustive duties.

7. FUTURE PERSPECTIVES

The future trajectory of humanoid robotics is intrinsically linked to advancements in artificial intelligence, autonomous control architectures, and real-time edge computing. Over the next decade, humanoid robots are anticipated to achieve higher autonomy, improved energy efficiency, and seamless collaborative workflows alongside human operators.

A primary development vector is the integration of generative AI and advanced reinforcement learning algorithms. These technologies will enable robots to analyze unstructured environments faster, learn adaptively from operational experience, and execute complex workflows with minimal human intervention. Furthermore, enhancements in computer vision and smart sensor suites will elevate navigation robustness and dexterous manipulation.

Another vital direction is collaborative robotics (cobotics), enabling safe, intuitive interaction alongside human personnel. Adherence to international safety standards governing collaborative robot operations—such as ISO/TS 15066—will remain mandatory [13].

Industrial applications are projected to expand into:

- Advanced production line automation;
- Autonomous warehouse logistics;
- Real-time automated quality inspection;
- Predictive maintenance operations;
- Interventions in hazardous, restricted environments.

As hardware costs for AI chips and mechatronic components decline, market analysts forecast humanoids becoming standard elements of smart factories and automated supply chains [14].

Additionally, electronics miniaturization and high-density battery development will extend operational runtimes and energy efficiency.

Long-term prospective applications span across:

- Healthcare and patient assistance;
- Specialized education;
- Construction and civil engineering;
- Public utility services;
- Space exploration.

Addressing these developments will require simultaneous progress in cybersecurity frameworks, AI ethics, and socio-economic policy adaptations. Future humanoid agents are expected to incorporate unified multimodal AI architectures combining visual, linguistic, tactile, and cognitive reasoning faculties.

8. CONCLUSIONS

Humanoid robots represent a cornerstone of modern robotics and intelligent automation, holding transformative potential for industrial manufacturing and social services. The analysis presented in this paper demonstrates that recent synergies between artificial intelligence, autonomous control, and sensor technology have yielded sophisticated robotic platforms capable of executing intricate tasks with high precision.

A comparative evaluation of platforms such as Atlas, Tesla Optimus, Figure 01, Pepper, and ASIMO confirms that specialized humanoid designs are tailored to specific operational requirements. Industrial variants optimize operational efficiency, precise manipulation, and repetitive task automation, whereas social variants focus on human-user engagement.

The findings indicate that industrial applications within the Industry 4.0 and Industry 5.0 frameworks serve as the primary deployment vector.

Nevertheless, expansion into domestic utility, healthcare assistance, hospitality, security, and extreme-environment interventions is actively unfolding.

Utilizing humanoids in factories reduces human error and removes workers from hazardous environ-

ments (e.g., nuclear facilities, chemical laboratories, disaster zones).

Nonetheless, large-scale deployment remains constrained by high acquisition costs, limited battery autonomy, and software complexity. Furthermore, rapid evolution introduces critical debates surrounding cybersecurity, AI ethics, and labor economics.

Ultimately, humanoid robots are poised to become indispensable assets of future industrial ecosystems, reshaping economic and societal paradigms.

The primary contribution of this study lies in providing a structured comparative analysis of global humanoid platforms, highlighting their technological readiness, industrial utility, and emerging trends aligned with Industry 4.0/5.0.

Notation and Acronyms

- **AI** — Artificial Intelligence;
- **IoT** — Internet of Things;
- **LiDAR** — Light Detection and Ranging;
- **AI-based Vision** — Artificial Intelligence-driven vision system;
- **Machine Learning** — Automated learning method utilized for robotic behavior optimization;
- **Computer Vision** — Digital image analysis and interpretation technology utilized for navigation and object recognition.

9. REFERENCES

[1]. Siciliano, B., Khatib, O., *Springer Handbook of Robotics*, Springer, Cham, 2016, ISBN 978-3319325507.

[2]. Craig, J.J., *Introduction to Robotics: Mechanics and Control*, Pearson Education, 2018, ISBN 978-0133489798.

[3]. Honda Motor Co. (2026), *What We Learned From ASIMO*, Available online: https://global.honda/en/robotics/asimo/

[4]. Boston Dynamics (2026), *Atlas Robot Technical Overview*, Available online: https://bostondynamics.com/products/atlas/

[5]. Tesla (2024), *Tesla Optimus Humanoid Robot*, Available online: https://www.tesla.com/AI

[6]. Figure AI. Figure 01 Humanoid Robot. Available online: https://www.figure.ai/

[7]. SoftBank Robotics (2026), Meet Pepper: The Robot Built for People, disponibil online la: https://us.softbankrobotics.com/pepper

[8]. International Federation of Robotics. World Robotics Report 2024. IFR Press, Frankfurt, 2024.

[9]. Lorenzini, M.; Lagomarsino, M.; Fortini, L.; Gholami, S.; Ajoudani, A. Ergonomic human-robot collaboration in industry: A review. Frontiers in Robotics and AI, 2023. https://www.frontiersin.org/journals/robotics-and-ai/articles/10.3389/frobt.2022.813907/full

[10] Langås, E.F.; Zafar, M.H.; Sanfilippo, F. Exploring the synergy of human-robot teaming, digital twins, and machine learning in Industry 5.0: a step towards sustainable manufacturing. *Journal of Intelligent Manufacturing*, 2026. https://link.springer.com/article/10.1007/s10845-025-02580-x

[11] Shabur, M.A. Industrial Robotics from Industry 4.0 to Industry 5.0: An Analysis of Architectures, Human-Centricity and Sustainability. *IET Collaborative Intelligent Manufacturing*, 2026. https://ietresearch.onlinelibrary.wiley.com/doi/abs/10.1049/cim2.70064

[12] Urrea, C. AI-driven and bio-inspired control strategies for industrial robotics: a systematic review of trends, challenges, and sustainable innovations toward Industry 5.0. *Machines*, 2025. https://www.mdpi.com/2075-1702/13/8/666

[13] International Organization for Standardization. *ISO/TS 15066: Robots and Robotic Devices—Collaborative Robots*. ISO, Geneva, 2016.

[14] McKinsey & Company. *The Future of Humanoid Robotics in Industry*. Available online: https://www.mckinsey.com/.

About the authors

University Lecturer & Senior Scientific Researcher (Grade II) Iulian-Sorin MUNTEANU
POLITEHNICA University of Bucharest, Faculty of Industrial Engineering and Robotics – TMR Department, Bucharest, Romania, iulian.munteanu0306@upb.ro

Dr. Eng. Iulian-Sorin Munteanu is a University Lecturer and Senior Scientific Researcher II, boasting over 25 years of professional experience in mechatronics, robotics, and autonomous systems. He graduated from the Faculty of Mechanics at POLITEHNICA University of Bucharest in 1999, earned his Master's degree in 2000, and completed his Ph.D. in Engineering at the same institution in 2010. His research and professional activity encompass over 40 R&D projects, 7 invention patents, and numerous national and international awards. He has served as Guest Editor for consecutive editions (2025 and 2026) of a Special Issue in Technologies (MDPI, Q1), acts as Co-Chair of the International Conference on Advanced Autonomous Systems (ICAAS editions 2024, 2025, and 2026), and performs active peer-review duties for high-impact international journals such as Applied Sciences, Machines, Technologies, Electronics, Systems, Sensors, Sustainability, Processes (MDPI), and Qeios Ltd. (London, UK). He is also author and co-author of several university textbooks and specialized teaching materials. Since 2022, he has served as President of the "Mechatronics, Adaptronics, Integronics, and Cyber-Mixmechatronics" Circle within AGIR. His

primary research interests include mechatronics and robotics, artificial intelligence and autonomous systems, advanced functional materials, rapid prototyping and industrial design, sensors and measurement systems, etc.

Teacher Ana-Maria MUNTEANU
„Nikola Tesla" Technological High School, Bucharest, Romania, munteanu.anam@gmail.com

Ana-Maria Munteanu serves as an Economics Teacher at the „Nikola Tesla" Technological High School in Bucharest, where she also served as a Board Member. She is a graduate of the postgraduate program "Digital Competencies" (UPB, Faculty of Mechanical Engineering and Mechatronics, 2021) and the Master's program "Managerial Engineering of Technical Systems (IMST)" in Engineering and Management at the Faculty of Industrial Engineering and Robotics, UPB (2022–2024). She holds certified competencies in curriculum development and vocational qualification assessment, acquired through the international program Building Capacity in Training Curricula and Assessment Development (The Hague, Netherlands, 2009) under the POSDRU project. Her professional background includes extensive experience in the private economic sector as a Sales Director, Export Planner, and Economist, overseeing commercial development, client relations, national and international trade fairs, production planning, and ERP systems implementation. In her academic activity, she promotes modern teaching methodologies, digital integration, and applied learning. She has published specialized methodological articles in journals such as Revista Atelier Didactic (Bucharest Teaching Staff House), „De vorbă cu noi...", and HIDRAULICA Magazine (of Hydraulics, Pneumatics, Tribology, Ecology, Sensorics, Mechatronics), Buletinul AGIR.